



Epoxy Keyfob Q5

Description	Proximity Keyfob design to suit to most 125 kHz proximity systems.		
IC type:	Q5 configured in RF/64 ASK Manchester		
Physical:	Thickness:	1.6	± 0.20 mm
	Width:	30 mm	± 0.20 mm
	Length:	45 mm	± 0.20 mm
	Color:	Black	
Electrical:	Operating Frequency:	125 kHz	± 6 kHz
Material:	Epoxy		
Storage temp:	-40°C to 95 °C		
Operating temp:	-40°C to 85 °C		
Immersion:	Water IP 65		
Mechanical:	Drop test 10 times 10 cycles (1.8m)		
Resistance:	The Keyfob is designed to resist common stress known from access control and time and attendance systems.		
Specials:	The Keyfob is delivered on bags of 250 pieces		
Part number:	K5555-030001 or 612140		

© SOKYMAT reserves the right to change any information or data in this document without prior notice. The distribution and the update of this document is not controlled. SOKYMAT declines all responsibility for the use of products with any other specifications but the ones mentioned above. Any additional requirement for a specific customer application has to be validated by the customer himself at his own responsibility. Where application information is given, it is only advisory and does not form part of the specification.
CLF 3.3.2.45 - V1 - 05.10.2004 - Released - DefKey : 11758

Sokymat SA, Rte Pra-Charbon 27, 1614 Granges, Switzerland, TEL + 41 (0)21 908 0100, FAX + 41 (0)21 908 0101, EMAIL info@sokymat.ch, WEB www.sokymat.com